

- Akers, R.P. See Volney, W.J.A., 199.
- Akre, R.D. and Reed, H.C. Evidence for a queen pheromone in *Vespula* (Hymenoptera: Vespidae), 371.
- Aleong, J. See Parker, B.L., 315.
- Alford, A. See Boiteau, G., 1233.
- Alford, A.R., Silk, P.J., McClure, M., Gibson, C., and Fitzpatrick, J. Behavioural effects of secondary components of the sex pheromone of the eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1053.
- Alicandro, A.J. and Peters, T.M. Survival of alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), in field-curing of alfalfa, 89.
- AllNiazee, M.T. Pest status of filbert (hazelnut) insects: a 10-year study, 1155.
- Andersen, J. and Nilssen, A.C. Intrapopulation size variation of free-living and tree-boring Coleoptera, 1453.
- Aubin, A. See Back, C., 703.
- Ayre, G.L., Turnock, W.J., and Struble, D.L. Spatial and temporal variability in sex attractant trap catches of *Leucania comoides* and *Peridroma saucia* (Lepidoptera: Noctuidae) in relation to their biology in Manitoba, 1573.
- Back, C., Leblanc, A. et Aubin, A. Effets sur la dérive des insectes aquatiques d'un traitement au téméphos contre les larves de moustiques dans le Québec subarctique, 703.
- Ball, G.E. and Shpeley, D. The species of eucheiloid Pericalina: Classification and evolutionary considerations (Coleoptera: Carabidae: Libiini), 743.
- Barbosa, P., Waldvogel, M.G., and Breisch, N.L. Temperature modification by bags of the bagworm *Thyridopteryx ephemeraeformis* (Lepidoptera: Psychidae), 855.
- Barker, J.F. See Singh, G.J.P., 1147.
- Barron, J.R. and Walley, G.S. Revision of the Holarctic genus *Pyracmon* (Hymenoptera: Ichneumonidae), 227.
- Beckwith, R.C. The effect of temperature and food deprivation on survival of first-instar Douglas-fir tussock moths (*Orygia pseudotsugata*) (Lepidoptera: Lymantriidae), 663.
- Behan-Pelletier, V.M. and Norton, R.A. *Epidamaeus* (Acari: Damaeidae) of arctic western North America and extreme northeast, U.S.S.R., 1253.
- Benjamin, D.M. See Hainze, J.H., 1169.
- Berryman, A.A. See Raffa, K.F., 723.
- Betz, R.W. Systematics of the *Trichadenotecnum alexandrae* species complex (Psocoptera: Psocidae) based on an investigation of modes of reproduction and morphology, 1329.
- Boiteau, G. The arthropod community of potato fields in New Brunswick, 1979-1981, 847.
- Activity and distribution of Carabidae, Arachnida, and Staphylinidae in New Brunswick potato fields, 1023.
- Boiteau, G. and Alford, A. Synchronization of Colorado potato beetle (Coleoptera: Chrysomelidae) emergence by temporary storage of eggs at low temperature, 1233.
- Borden, J.H. See Lindgren, B.S., 303; Stock, A.J., 539.
- Bornais, K.M., Larch, C.M., Gamboa, G.J., and Daily, R.B. Nestmate discrimination among laboratory overwintered foundresses of the paper wasp, *Polistes fuscatus* (Hymenoptera: Vespidae), 655.
- Bousquet, Y. Redefinition of the genus *Stomis* Clairville (Coleoptera: Carabidae) with the description of a new subgenus from western North America, 1597.
- See also Goulet, H., 281.
- Boyd, J.V. and Hain, F.P. Effects of constant temperature, relative humidity, and simulated rainfall on development and survival of the spruce spider mite (*Oligonychus ununguis*), 93.
- Responses of *Neoseiulus fallacis* (Acarina: Phytoseiidae) to different prey densities of *Oligonychus ununguis* (Acarina: Tetranychidae) and to different relative humidity regimes, 1607.
- Breisch, N.L. See Barbosa, P., 855.
- Bucher, G.E. and Turnock, W.J. Dosage responses of the larval instars of the bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), to a native nuclear polyhedrosis, 341.
- Burgess, L. Damage to rapeseed plants by two species of blister beetles (Coleoptera: Meloidae), 875.
- Burgess, L., Dueck, J., and McKenzie, D.L. Insect vectors of the yeast *Nematospora coryli* in mustard, *Brassica juncea*, crops in southern Saskatchewan, 25.
- Burke, J.M. See Percy, J., 1239.
- Campbell, J.M. A new species of *Pycnoglypta* Thomson (Coleoptera: Staphylinidae) from eastern Canada, 361.
- A revision of the North American Omaliinae (Coleoptera: Staphylinidae). The genus *Olophrum* Erichson, 577.
- Campbell, R.W., Torgersen, T.R., Hosman, K.P., and Srivastava, N. Sex ratios of the western spruce budworm (Lepidoptera: Tortricidae), 1059.
- Cant, J.G.H. See Kevan, P.G., 115.
- Cardé, R.T. See Ramaswamy, S.B., 1437.
- Carroll, K.A., Harris, C.R., and Morrison, P.E. Resistance shown by a parathion-resistant onion maggot (Diptera: Anthomyiidae) strain to some other insecticides, 1519.

- Akers, R.P. See Volney, W.J.A., 199.
- Akre, R.D. and Reed, H.C. Evidence for a queen pheromone in *Vespula* (Hymenoptera: Vespidae), 371.
- Aleong, J. See Parker, B.L., 315.
- Alford, A. See Boiteau, G., 1233.
- Alford, A.R., Silk, P.J., McClure, M., Gibson, C., and Fitzpatrick, J. Behavioural effects of secondary components of the sex pheromone of the eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1053.
- Alicandro, A.J. and Peters, T.M. Survival of alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), in field-curing of alfalfa, 89.
- AllNiazee, M.T. Pest status of filbert (hazelnut) insects: a 10-year study, 1155.
- Andersen, J. and Nilssen, A.C. Intrapopulation size variation of free-living and tree-boring Coleoptera, 1453.
- Aubin, A. See Back, C., 703.
- Ayre, G.L., Turnock, W.J., and Struble, D.L. Spatial and temporal variability in sex attractant trap catches of *Leucania comoides* and *Peridroma saucia* (Lepidoptera: Noctuidae) in relation to their biology in Manitoba, 1573.
- Back, C., Leblanc, A. et Aubin, A. Effets sur la dérive des insectes aquatiques d'un traitement au téméphos contre les larves de moustiques dans le Québec subarctique, 703.
- Ball, G.E. and Shpeley, D. The species of eucheiloid Pericalina: Classification and evolutionary considerations (Coleoptera: Carabidae: Libiini), 743.
- Barbosa, P., Waldvogel, M.G., and Breisch, N.L. Temperature modification by bags of the bagworm *Thyridopteryx ephemeraeformis* (Lepidoptera: Psychidae), 855.
- Barker, J.F. See Singh, G.J.P., 1147.
- Barron, J.R. and Walley, G.S. Revision of the Holarctic genus *Pyracmon* (Hymenoptera: Ichneumonidae), 227.
- Beckwith, R.C. The effect of temperature and food deprivation on survival of first-instar Douglas-fir tussock moths (*Orygia pseudotsugata*) (Lepidoptera: Lymantriidae), 663.
- Behan-Pelletier, V.M. and Norton, R.A. *Epidamaeus* (Acari: Damaeidae) of arctic western North America and extreme northeast, U.S.S.R., 1253.
- Benjamin, D.M. See Hainze, J.H., 1169.
- Berryman, A.A. See Raffa, K.F., 723.
- Betz, R.W. Systematics of the *Trichadenotecnum alexandrae* species complex (Psocoptera: Psocidae) based on an investigation of modes of reproduction and morphology, 1329.
- Boiteau, G. The arthropod community of potato fields in New Brunswick, 1979-1981, 847.
- Activity and distribution of Carabidae, Arachnida, and Staphylinidae in New Brunswick potato fields, 1023.
- Boiteau, G. and Alford, A. Synchronization of Colorado potato beetle (Coleoptera: Chrysomelidae) emergence by temporary storage of eggs at low temperature, 1233.
- Borden, J.H. See Lindgren, B.S., 303; Stock, A.J., 539.
- Bornais, K.M., Larch, C.M., Gamboa, G.J., and Daily, R.B. Nestmate discrimination among laboratory overwintered foundresses of the paper wasp, *Polistes fuscatus* (Hymenoptera: Vespidae), 655.
- Bousquet, Y. Redefinition of the genus *Stomis* Clairville (Coleoptera: Carabidae) with the description of a new subgenus from western North America, 1597.
- See also Goulet, H., 281.
- Boyd, J.V. and Hain, F.P. Effects of constant temperature, relative humidity, and simulated rainfall on development and survival of the spruce spider mite (*Oligonychus ununguis*), 93.
- Responses of *Neoseiulus fallacis* (Acarina: Phytoseiidae) to different prey densities of *Oligonychus ununguis* (Acarina: Tetranychidae) and to different relative humidity regimes, 1607.
- Breisch, N.L. See Barbosa, P., 855.
- Bucher, G.E. and Turnock, W.J. Dosage responses of the larval instars of the bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), to a native nuclear polyhedrosis, 341.
- Burgess, L. Damage to rapeseed plants by two species of blister beetles (Coleoptera: Meloidae), 875.
- Burgess, L., Dueck, J., and McKenzie, D.L. Insect vectors of the yeast *Nematospora coryli* in mustard, *Brassica juncea*, crops in southern Saskatchewan, 25.
- Burke, J.M. See Percy, J., 1239.
- Campbell, J.M. A new species of *Pycnoglypta* Thomson (Coleoptera: Staphylinidae) from eastern Canada, 361.
- A revision of the North American Omaliinae (Coleoptera: Staphylinidae). The genus *Olophrum* Erichson, 577.
- Campbell, R.W., Torgersen, T.R., Hosman, K.P., and Srivastava, N. Sex ratios of the western spruce budworm (Lepidoptera: Tortricidae), 1059.
- Cant, J.G.H. See Kevan, P.G., 115.
- Cardé, R.T. See Ramaswamy, S.B., 1437.
- Carroll, K.A., Harris, C.R., and Morrison, P.E. Resistance shown by a parathion-resistant onion maggot (Diptera: Anthomyiidae) strain to some other insecticides, 1519.

- Cave, R.D. and Gutierrez, A.P. *Lygus hesperus* field life table studies in cotton and alfalfa (Heteroptera: Miridae), 649.
- Chilcott, J.G. and Teskey, H.J. A revision of the New World genera allied to *Megagrapha* Melander (Diptera: Empididae), 1291.
- Chong, L. See Lindgren, B.S., 303.
- Ciborowski, J.J.H. A simple volumetric instrument to estimate biomass of fluid-preserved invertebrates, 427.
- Cobb, D.G. See Flannagan, J.F., 673.
- Craig, C.H. Seasonal occurrence of *Lygus* spp. (Heteroptera: Miridae) on alfalfa in Saskatchewan, 329.
- Craig, D.A. See Lee, R.M.K.W., 1503.
- Crawford, H.S. See Jennings, D.T., 439.
- Crozier, L.M. See Wood, G.W., 219.
- Cunningham, J.C. See Percy, J., 1239.
- Cupp, E.W. See Tarrant, C., 319.
- Curry, P.S., Knowles, R.P., and Waddington, J. Seasonal occurrence and chemical control of the bromegrass seed midge, *Contarinia bromicola* (Diptera: Cecidomyiidae), in Saskatchewan, 75.
- Daily, R.B. See Bornais, K.M., 655.
- Dang, P.T. See Wong, H.R., 333.
- Daterman, G.E. See Sower, L.L., 965.
- DeBarr, G.L. See Nord, J.C., 211.
- Dobesberger, E.J. and Lim, K.P. Required sample size for early instar larvae of spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), in Newfoundland, 1523.
- Dobesberger, E.J., Lim, K.P., and Raske, A.G. Spruce budworm (Lepidoptera: Tortricidae) moth flight from New Brunswick to Newfoundland, 1641.
- Dominique, C.R. and Yule, W.N. Laboratory rearing technique for the northern corn rootworm, *Diabrotica longicornis* (Coleoptera: Chrysomelidae), 569.
- Threshold temperature and thermal constant for egg development of northern corn rootworm, *Diabrotica longicornis* (Coleoptera: Chrysomelidae), 1051.
- Dominique, C.R., Yule, W.N., and Martel, P. Influence of soil type, soil moisture, and soil surface conditions on oviposition preference of the northern corn rootworm, *Diabrotica longicornis* (Coleoptera: Chrysomelidae), 1043.
- Donald, D.B. and Patriquin, D.E. The wing length of lentic Capniidae (Plecoptera) and its relationship to elevation and Wisconsin glaciation, 921.
- Dondale, C.D. and Redner, J.H. The wolf spider genus *Allocosa* in North and Central America (Araneae: Lycosidae), 933.
- Dos Passos, C.F. See Ferris, C.D., 823.
- Drouin, J.A. See Wong, H.R., 333.
- Dueck, J. See Burgess, L., 25.
- Dunn, G.A. See Reeves, R.M., 453.
- Ebner, J.A. See Ferris, C.D., 823.
- Eidt, D.C. and Weaver, C.A.A. Threshold concentration of aminocarb that causes drift of stream insects, 715.
- Ellis, C.R. See Smith, S.M., 859.
- Enis, P.J. See Foster, R.N., 1163.
- Ewen, A.B. Extension of the geographic range of *Nosema locustae* (Microsporidia) in grasshoppers (Orthoptera: Acrididae), 1049.
- Ferrell, G.T. Host resistance to the fir engraver, *Scolytus ventralis* (Coleoptera: Scolytidae): Frequencies of attacks contacting cortical resin blisters and canals of *Abies concolor*, 1421.
- Ferris, C.D., dos Passos, C.F., Ebner, J.A., and Lafontaine, J.D. An annotated list of butterflies (Lepidoptera) of the Yukon Territory, Canada, 823.
- Flori, B.J. Sticky plastic sheet traps as survey tools for the European chafer (Coleoptera: Scarabaeidae), 1429.
- Fitzpatrick, J. See Alford, A.R., 1053.
- Fitzpatrick, S.M. and Wellington, W.G. Contrasts in the territorial behaviour of three species of hover flies (Diptera: Syrphidae), 559.
- Flannagan, J.F. See Friesen, M.K., 1007.
- Flannagan, J.F. and Cobb, D.G. New records of winter stoneflies (Plecoptera) from Manitoba with notes on their zoogeographical origins, 673.
- Foott, W.H. and Timmins, P.R. The severity of stalk rot of grain corn in relation to infestations of a bivoltine strain of the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae), 1235.
- Foster, R.N., Reuter, K.C., Gourd, J.M., Enis, P.J., and Wooldridge, A.W. Field experiments on the toxicity of acephate for control of grasshoppers (Orthoptera: Acrididae) on rangeland, 1163.
- Freyman, S. See Harper, A.M., 1243.
- Friesen, M.K., Galloway, T.D., and Flannagan, J.F. Toxicity of the insecticide permethrin in water and sediment to nymphs of the burrowing mayfly *Hexagenia rigida* (Ephemeroptera: Ephemeridae), 1007.
- Friskie, L.M. See Lindgren, B.S., 303.

- Funkhouser, W. See Sower, L.L., 965.
- Gabor, G. See Herbert, H.J., 1229.
- Galloway, T.D. See Friesen, M.K., 1007.
- Gamboa, G.J. See Bornais, K.M., 655.
- Gibo, D.L. See Pallett, M.J., 351.
- Gibson, C. See Alford, A.R., 1053.
- Goulet, H. and Bousquet, Y. Description of a new *Pterostichus* (Coleoptera: Carabidae) from beaver houses in eastern North America, 281.
- Goulet, H. and Smetana, A. A new species of *Blethisa* Bonelli from Alaska, with proposed phylogeny, biogeography and key to known species (Coleoptera: Carabidae), 551.
- Gourd, J.M. See Foster, R.N., 1163.
- Grant, G.G. and Siessor, K.N. Sex pheromone of the maple leaf roller *Cenopis acerivorana* (Lepidoptera: Tortricidae), 189.
- Gutierrez, A.P. See Cave, R.D., 649.
- Gutierrez, A.P. and Yaninek, J.S. Responses to weather of eight aphid species commonly found in pastures in southeastern Australia, 1359.
- Hagley, E.A.C. Pesticides, pollination, and fruit set on apple, 1535.
- Hagley, E.A.C. and Simpson, C.M. Effect of insecticides on predators of the pear psylla, *Psylla pyricola* (Hemiptera: Psyllidae), in Ontario, 1409.
- Hain, F.P. See Boyne, J.V., 93, 1607.
- Hainze, J.H. and Benjamin, D.M. Bionomics and pattern of attack of the red pine shoot moth, *Dioryctria resinosella* (Lepidoptera: Pyralidae), in Wisconsin, 1169.
- Hamilton, D. See Herbert, H.J., 1229.
- Hamilton, K.G.A. Synopsis of *Typhlocyba* subgenus *Empoa* Fitch, with a key to the species of *gillettei* complex (Rhynchota: Homoptera: Cicadellidae), 67.
- Introduced and native leafhoppers common to the old and new worlds (Rhynchota: Homoptera: Cicadellidae), 473.
- Harcourt, D.G. A sequential decision plan for management of the alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), 1513.
- Harper, A.M. and Freyman, S. Cold-hardiness of 1-, 2-, and 3-year-old alfalfa infested with the pea aphid (Homoptera: Aphididae), 1243.
- Harper, F. See Harper, P.P., 1465.
- Harper, P.P. et Harper, F. Biogéographie et associations des Plécoptères d'hiver du Québec méridional (Plecoptera: Capniidae et Taeniopterygidae), 1465.
- Harris, C.R. See Carroll, K.A., 1519; MacDonald, R.S., 1555.
- Harris, J.W.E. See Thomson, A.J., 1181.
- Harvey, G.T. A geographical cline in egg weights in *Choristoneura fumiferana* (Lepidoptera: Tortricidae) and its significance in population dynamics, 1103.
- Environmental and genetic effects on mean egg weight in spruce budworm (Lepidoptera: Tortricidae), 1109.
- Hebert, P.D.N. Egg dispersal patterns and adult feeding behaviour in the Lepidoptera, 1477.
- Hegdekar, B.M. Effect of latitude on the critical photoperiod for diapause induction in the bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), 1039.
- Helson, B.V. See Westwood, A.R., 195; Madder, D.J., 877.
- Helson, B.V. and Surgeoner, G.A. Effect of temperature and stage of development on susceptibility of *Aedes euedes* and *Aedes stimulans* (Diptera: Culicidae), larvae to temephos, 623.
- Herbert, H.J., Hamilton, D., and Gabor, G. Sampling leaves to estimate the density of brown mite, *Bryobia rubrioculus* (Acarina: Tetranychidae), on apples, 1229.
- Herbert, H.J. and McRae, K.B. Effect of temperature on the emergence of overwintering *Phyllonorycter blaucardella* (Lepidoptera: Gracillariidae) and its parasite *Apanteles ornigis* (Hymenoptera: Braconidae) in Nova Scotia, 1203.
- Hogg, D.B. See Hutchison, W.D., 1615.
- Holliday, N.J. Effects of temperature on winter moth pupae, *Operophtera brumata* (Lepidoptera: Geometridae), 243.
- Hosman, K.P. See Campbell, R.W., 1059.
- Hotchkin, P.G. and Kaya, H.K. Interactions between two baculoviruses and several insect parasites, 841.
- Houseweart, M.W., Jennings, D.T., Welty, C., and Southard, S.G. Progeny production by *Trichogramma minutum* (Hymenoptera: Trichogrammatidae) utilizing eggs of *Choristoneura fumiferana* (Lepidoptera: Tortricidae) and *Sitotroga cerealella* (Lepidoptera: Gelechiidae), 1245.
- Hoying, S.A. See Riedl, H., 807.
- Hutchison, W.D. and Hogg, D.B. Cornicle length as a criterion for separating field-collected nymphal instars of the pea aphid, *Acyrtosiphon pisum* (Homoptera: Aphididae), 1615.
- Ishii, K. A new species of Penicillata diplopods of the family Polyxenidae (Diplopoda: Penicillata) from Japan, 1355.

- Jennings, D.T. See Reeves, R.M., 453; Houseweart, M.W., 1245.
- Jennings, D.T. and Crawford, H.S. Pine siskin preys on egg masses of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 439.
- Kangasniemi, B.J. and Oliver, D.R. Chironomidae (Diptera) associated with *Myriophyllum spicatum* in the Okanagan Valley lakes, British Columbia, 1545.
- Kaupp, W.J. Persistence of *Neodiprion sertifer* (Hymenoptera: Diprionidae) nuclear polyhedrosis virus on *Pinus contorta* foliage, 869.
- Kaushik, N.K. See Rodrigues, C.S., 1189.
- Kaya, H.K. See Hotchkiss, P.G., 841.
- Kelton, L.A. European *Pseudoloxops coccineus* found in Canada, and additional records of *Camptozygum aequale* in the Nearctic region (Heteroptera: Miridae), 107.
- Four European species of *Psallus* Fieber found in Canada (Heteroptera: Miridae), 325.
- Kevan, D.K.McE. See Kevan, P.G., 115.
- Kevan, P.G., Cant, J.G.H., and Kevan, D.K.McE. Predator avoidance posturing of grasshoppers (Orthoptera: Acrididae) from the Colorado alpine and plains, 115.
- Knowles, R.P. See Curry, P.S., 75.
- Kok, L.T. See Smith, L.M., 1533.
- Kok, L.T. and McAvoy, T.J. Biological studies of *Ceutorhynchus trimaculatus* (Coleoptera: Curculionidae), a thistle rosette weevil, 927.
- Refrigeration - a practical technique for storage of eggs of *Trichosirocalus horridus* (Coleoptera: Curculionidae), 1537.
- Lafontaine, J.D. See Ferris, C.D., 823.
- Lamb, R.J. Phenology of flea beetle (Coleoptera: Chrysomelidae) flight in relation to their invasion of canola fields in Manitoba, 1493.
- Lanier, G.N. See Phillips, T.W., 1627, 1637.
- Larch, C.M. See Bornaïs, K.M., 655.
- Larson, D.J. See Lomond, D., 1647.
- Larson, D.J. and Roughley, R.E. Recognition of *Ilybius vittiger* (Gyllenhal, 1827), new combination, in North America (Coleoptera: Dytiscidae), 7.
- Lathief, M.A. and Ortiz, J.H. Influence of companion herbs on egg distribution of the imported cabbageworm, *Pieris rapae* (Lepidoptera: Pieridae), on collard plants, 1031.
- Influence of companion plants on oviposition of imported cabbageworm, *Pieris rapae* (Lepidoptera: Noctuidae), and cabbage looper, *Trichoplusia ni* (Lepidoptera: Noctuidae), 1529.
- Seasonal abundance and oviposition response of the corn earworm, *Heliothis zea* (Lepidoptera: Noctuidae), on okra in Virginia, 1539.
- Leblanc, A. See Back, C., 703.
- Lee, R.M.K.W. and Craig, D.A. Maxillary, mandibular, and hypopharyngeal stylets of female mosquitoes (Diptera: Culicidae): A scanning electron microscope study, 1503.
- Leprince, D.J. and Lewis, D.J. Aspects of the biology of female *Chrysops univittatus* (Diptera: Tabanidae) in southwestern Quebec, 421.
- Levine, L. and Sullivan, D.J., S.J. Intraspecific tertiary parasitoidism in *Asaphes lucens* (Hymenoptera: Pteromalidae), an aphid hyperparasitoid, 1653.
- Lewis, D.J. See Leprince, D.J., 421.
- Liebholt, A.M. See Volney, W.J.A., 199, 1583.
- Lim, K.P. See Quednau, F.W., 109; Dobesberger, E.J., 1523, 1641.
- Lindgren, B.S. A multiple funnel trap for scolytid beetles (Coleoptera), 299.
- Lindgren, B.S., Borden, J.H., Chong, L., Friskie, L.M., and Orr, D.B. Factors influencing the efficiency of pheromone-baited traps for three species of ambrosia beetles (Coleoptera: Scolytidae), 303.
- Linit, M.J. and Stephen, F.M. Parasite and predator component of within-tree southern pine beetle (Coleoptera: Scolytidae) mortality, 679.
- Linton, M.C. See Snyder, T.P., 81.
- Livdahl, T.P. and Stiven, A.E. Statistical difficulties in the analysis of predator functional response data, 1365.
- Lomond, D. and Larson, D.J. Honey bees, *Apis mellifera* (Hymenoptera: Apidae), as pollinators of lowbush blueberry, *Vaccinium angustifolium*, on Newfoundland coastal barrens, 1647.
- Lund, C.T. See Trimble, R.M., 659.
- Ma, M. and Schnee, M.E. Analysis of individual gypsy moth sex pheromone production by sample concentrating gas chromatography, 251.
- MacDonald, R.S., Surgeoner, G.A., Solomon, K.R., and Harris, C.R. Development of resistance to permethrin and dichlorvos by the house fly (Diptera: Muscidae) following continuous and alternating insecticide use on four farms, 1555.
- Mackauer, M. Quantitative assessment of *Aphidius smithi* (Hymenoptera: Aphididae): Fecundity, intrinsic rate of increase, and functional response, 399.
- Madder, D.J., Surgeoner, G.A., and Helson, B.V. Induction of diapause in *Culex pipiens* and *Culex restuans* (Diptera: Culicidae) in southern Ontario, 877.

- Mague, D.L. and Reissig, W.H. Phenology of the San Jose scale (Homoptera: Diaspididae) in New York State apple orchards, 717.
- Mantey, K.D. See Moffitt, H.R., 1659.
- Martel, P. See Dominique, C.R., 1043.
- Masner, L. The genus *Oethecocionus* Ashmead in North America (Hym.: Proctotrupeoidea: Scelionidae), 17.  
A revision of *Gryon* Haliday in North America (Hym.: Proctotrupeoidea: Scelionidae), 123.  
Revision of the Nearctic species of *Trichacis* Foerster (Hym.: Proctotrupeoidea: Platygastriidae), 1071.
- Mason, R.R. and Torgersen, T.R. Mortality of larvae in stocked cohorts of the Douglas-fir tussock moth, *Orgyia pseudotsugata* (Lepidoptera: Lymantriidae), 1119.
- Mason, W.R.M. The abdomen of *Vanhornia eucnemidarum* (Hymenoptera: Proctotrupeoidea), 1483.
- McAlpine, J.F. A revision of the genus *Protearomyia* McAlpine (Diptera: Lonchaeidae), 885.
- McAvoy, T.J. See Kok, L.T., 927, 1537.
- McClure, M. See Alford, A.R., 1053.
- McIver, S.B. See Trueman, D.W., 435.
- McKenzie, D.L. See Burgess, L., 25.
- McLean, J.A. See Shore, T.L., 1.
- McNeil, J.N. See Turgeon, J.J., 1015.
- McNeil, J.N. and Stinner, R.E. Seasonal biology in Quebec and prediction of phenology of the European skipper, *Thymelicus lineola* (Lepidoptera: Hesperidae), 905.
- McRae, K.B. See Herbert, H.J., 1203.
- Meisner, J. and Mitchell, B.K. Phagodermy induced by two cruciferous plants in adults of the flea beetle *Phyllotreta striolata* (Coleoptera: Chrysomelidae), 1209.
- Mitchell, B.K. See Meisner, J., 1209.
- Moffitt, H.R., Mantey, K.D., and Tamaki, G. Effect of chitin-synthesis inhibitors on oviposition by treated adults and on subsequent egg hatch of the codling moth (Lepidoptera: Olethreutidae), 1659.
- Molloy, D. See Rodrigues, C.S., 1189.
- Moobola, S. See Tarrant, C., 319.
- Moore, A. See Morris, O.N., 431, 815.
- Morris, O.N. Comparative efficacy of Thuricide 16B® and Dipel 88® against the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae) in balsam fir stands, 1001.  
Protection of *Bacillus thuringiensis* from inactivation by sunlight, 1215.
- Morris, O.N. and Moore, A. Changes in spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), biomass in stands treated with commercial *Bacillus thuringiensis* var. *kurstaki*, 431.  
Relative potencies of 50 isolates of *Bacillus thuringiensis* for larvae of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 815.
- Morrison, P.E. See Carroll, K.A., 1519.
- Mukerji, M.K. See Olfert, O.O., 629.
- Neil, K.A. See Wright, B., 1047.
- Neilson, W.T.A. See Wood, G.W., 219.
- Nilssen, A.C. See Andersen, J., 1453.
- Nord, J.C. and DeBarr, G.L. Contact toxicities of 12 insecticides to *Leptoglossus corculis* adults (Hemiptera: Coreidae), 211.
- Norton, R.A. See Behan-Pelletier, V.M., 1253.
- O'Hara, J.E. Two bilateral gynandromorphs in the Calypttratae (Diptera): *Hydrotaea meteorica* (Muscidae) and *Siphona hokkaidensis* (Tachinidae), 379.
- Olfert, O.O. and Mukerji, M.K. Effects of acute simulated and acute grasshopper (Orthoptera: Acrididae) damage on growth rates and yield of spring wheat (*Triticum aestivum*), 629.
- Oliver, C.G. Distribution of eclosion sequence in hybrid Lepidoptera, 1445.
- Oliver, D.R. See Kangasniemi, B.J., 1545.
- Oliver, D.R. and Roussel, M.E. Redescription of *Brillia* Kieffer (Diptera: Chironomidae) with descriptions of Nearctic species, 257.
- Orr, D.B. See Lindgren, B.S., 303.
- Ortiz, J.H. See Latheef, M.A., 1031, 1529, 1539.
- Otvos, I.S. See Percy, J., 1239.
- Pallett, M.J., Plowright, R.C., and Gibo, D.L. A method of capturing colonies of aerial nesting vespid wasps (Hymenoptera: Vespidae), 351.
- Parker, B.L., Aleong, J., Teillon, H.B., and Parker, L.A. Population distribution of the maple leafcutter, *Paraclemensia acerifoliella* (Lepidoptera: Incurvariidae), in sugar maple trees, 315.
- Parker, L.A. See Parker, B.L., 315.
- Patriquin, D.E. See Donald, D.B., 921.
- Peck, S.B. Experimental hybridizations between populations of cavernicolous *Ptomaphagus* beetles (Coleoptera: Leiodidae: Cholevinae), 445.
- Percy, J., Cunningham, J.C., Burke, J.M., and Otvos, I.S. The viruses from western false hemlock looper, *Nepytia freemani* (Lepidoptera: Geometridae), 1239.



- Peters, T.M. See Alicandro, A.J., 89.
- Phillips, T.W. and Lanier, G.N. Biosystematics of *Pissodes* Germar (Coleoptera: Curculionidae): Feeding preference and breeding site specificity of *P. strobi* and *P. approximatus*, 1627.
- White pine weevil, *Pissodes strobi* (Coleoptera: Curculionidae), attack on various conifers in New York, 1637.
- Philogène, B.J.R. See Stewart, J.G., 295, 1543.
- Plowright, R.C. See Pallett, M.J., 351.
- Pritchard, G. and Scholefield, P.J. Survival of *Aedes* larvae in constant area ponds in southern Alberta (Diptera: Culicidae), 183.
- Quednau, F.W. See Remaudière, G., 637.
- Quednau, F.W. and Lim, K.P. *Olesicampe geniculatae*, a new Palaearctic ichneumonid parasite of *Pristiphora geniculata* (Hymenoptera: Tenthredinidae), 109.
- Rabb, R.L. See Regnière, J., 287.
- Raffa, K.F. and Berryman, A.A. Physiological aspects of lodgepole pine wound responses to a fungal symbiont of the mountain pine beetle, *Dendroctonus ponderosae* (Coleoptera: Scolytidae), 723.
- Ramaswamy, S.B., Cardé, R.T., and Witter, J.A. Relationships between catch in pheromone-baited traps and larval density of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1437.
- Raske, A.G. See Dobesberger, E.J., 1641.
- Read, D.C. Bioassay of toxicity of insecticides in soil using eggs and larvae of the cabbage maggot, *Hylemya brassicae* (Diptera: Anthomyiidae), 573.
- Redner, J.H. See Dondale, C.D., 933.
- Reed, H.C. See Akre, R.D., 371.
- Reeves, R.M., Dunn, G.A., and Jennings, D.T. Carabid beetles (Coleoptera: Carabidae) associated with the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 453.
- Régnière, J. An oviposition model for the spruce budworm (Lepidoptera: Tortricidae), 1371.
- Régnière, J., Rabb, R.L., and Stinner, R.E. *Popillia japonica* (Coleoptera: Scarabaeidae): Distribution and movement of adults in the heterogeneous environments, 287.
- Régnière, J. and Sanders, C.J. Optimal sample size for the estimation of spruce budworm (Lepidoptera: Tortricidae) populations on balsam fir and white spruce, 1621.
- Reissig, W.H. See Mague, D.L., 717.
- Remaudière, G. et Quednau, F.W. Pucerons nouveaux et peu connus du Mexique. 4<sup>e</sup> note: Nouvelles espèces de *Tuberculatus* subg. *Toltecallis* subg. nov. (Homoptera: Aphididae), 637.
- Resh, V.H., Rosenberg, D.M., and Wiens, A.P. Emergence of caddisflies (Trichoptera) from eroding and non-eroding shorelines of Southern Indian Lake, Manitoba, Canada, 1563.
- Retnakaran, A. Spectrophotometric determination of larval ingestion rates in the spruce budworm (Lepidoptera: Tortricidae), 31.
- Reuter, K.C. See Foster, R.N., 1163.
- Richards, K.W. Impact of damage by the driedfruit moth, *Vitula edmandsae serratilineella* (Lepidoptera: Pyralidae), a pest of the alfalfa leafcutter bee, *Megachile rotundata* (Hymenoptera: Megachilidae), 1549.
- Richmond, C.E. Thiodicarb and sulphophos applied to western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae), with an aerial spray simulator, 357.
- Riedl, H. and Hoying, S.A. Toxicity and residual activity of fenvalerate to *Typhlodromus occidentalis* (Acari: Phytoseiidae) and its prey *Tetranychus urticae* (Acari: Tetranychidae) on pear, 807.
- Rodrigues, C.S., Molloy, D., and Kaushik, N.K. Laboratory evaluation of microencapsulated formulations of chlorpyrifos-methyl against black fly larvae (Dip.: Simuliidae) and selected nontarget invertebrates, 1189.
- Rosenberg, D.M. See Resh, V.H., 1563.
- Roughley, R.E. See Larson, D.J., 7.
- Roussel, M.E. See Oliver, D.R., 257.
- Ryan, R.B. Population density and dynamics of larch casebearer (Lepidoptera: Coleophoridae) in the Blue Mountains of Oregon and Washington before the build-up of exotic parasites, 1095.
- Sanders, C.J. Local dispersal of male spruce budworm (Lepidoptera: Tortricidae) moths determined by mark, release, and recapture, 1065.
- See also Régnière, J., 1621.
- Sartwell, C. See Sower, L.L., 965.
- Schnee, M.E. See Ma, M., 251.
- Scholefield, P.J. See Pritchard, G., 183.
- Scoles, G. See Tarrant, C., 319.
- Sharma, M.L. and Thériault, L.M. Effects of the chemosterilant Thiotepa on the sexuparae and sexuales of the pea aphid, *Acyrthosiphon pisum* (Homoptera: Aphididae), 215.
- Shepherd, R.F. See Thomson, A.J., 1181.
- Shore, T.L. and McLean, J.A. A further evaluation of the interactions between the pheromones and two host kairomones of the ambrosia beetles *Trypodendron lineatum* and *Gnathotrichus sulcatus* (Coleop.: Scolytidae), 1.
- Shpeley, D. See Ball, G.E., 743.
- Silk, P.J. See Alford, A.R., 1053.

- Silversides, R.H.** See Thomson, A.J., 1181.
- Simpson, C.M.** See Hagley, E.A.C. 1409.
- Singh, G.J.P. and Barker, J.F.** Ultrastructural studies of formamidine-induced release of neurosecretion in *Locusta migratoria* (Orthoptera: Locustidae), 1147.
- Slessor, K.N.** See Grant, G.G., 189.
- Smetana, A.** See Goulet, H. 551.
- Smirnov, W.A. and Valero, J.R.** Characteristics of a highly concentrated *Bacillus thuringiensis* formulation against spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 443.
- Smith, I.M.** Description of larvae of *Neocarus occidentalis* (Acari: Arrenuroidea: Neocaridae), 221.  
Description of adults of *Neomideopsis siuslawensis* n. gen., n. sp., with remarks on the family Mideopsidae (Acari: Parasitengona: Arrenuroidea), 417.  
Description of *Cowichania interstitialis* n. gen., n. sp., and proposal of Cowichaniinae n. subfam., with remarks on phylogeny and classification of Hydryphantidae (Acari: Parasitengona: Hydryphantoidea), 523.  
Description of larvae and adults of *Paramideopsis susanae* n. gen., n. sp., with remarks on phylogeny and classification of Mideopsidae (Acari: Parasitengona: Arrenuroidea), 529.  
Description of larvae of *Nudomideopsis magnacetabula* (Acari: Arrenuroidea: Mideopsidae) with new distributional records for the species and remarks on the classification of *Nudomideopsis*, 913.  
Description of adults of a new species of *Uchidastygacarus* (s.s.) (Acari: Parasitengona: Arrenuroidea) from eastern North America, with comments on distribution of mites of the genus, 1177.  
Descriptions of two new species of *Acalyptonotus* from western North America, with a new diagnosis of the genus based upon larvae and adults, and comments on phylogeny and taxonomy of Acalyptonotidae (Acari: Parasitengona: Arrenuroidea), 1395.  
Description of adults of a new species of *Cyclothys* (Acari: Parasitengona: Hydryphantidae) from western North America, with comments on phylogeny and distribution of mites of the genus, 1433.  
Description of adults of a new species of *Geayia* (Acari: Parasitengona: Krendowskidae) from southern Ontario, 1489.
- Smith, L.B.** The relationship between wet grain, *Cryptolestes ferrugineus* (Coleoptera: Cucujidae) populations, and heating in wheat stored in granaries, 1383.
- Smith, L.M. and Kok, L.T.** *Hyalomyodes triangulifer* (Diptera: Tachinidae) parasitizes adults of *Rhinocyllus conicus* (Coleoptera: Curculionidae), 1533.
- Smith, S.M. and Ellis, C.R.** Economic importance of insects on regrowths of established alfalfa fields in Ontario, 859.
- Snyder, T.P. and Linton, M.C.** Electrophoretic and morphological separation of *Prosimulium fuscum* and *P. mixtum* larvae (Diptera: Simuliidae), 81.
- Solomon, K.R.** See MacDonald, R.S., 1555.
- Southard, S.G.** See Houseweart, M.W., 1245.
- Sower, L.L., Daterman, G.E., Funkhouser, W., and Sartwell, C.** Pheromone disruption controls Douglas-fir tussock moth (Lepidoptera: Lymantriidae) reproduction at high insect densities, 965.
- Srivastava, N.** See Campbell, R.W., 1059.
- Stairs, G.R.** Oviposition by *Glypta fumiferanae* (Hymenoptera: Ichneumonidae) in *Choristoneura fumiferana* (Lepidoptera: Tortricidae) larvae and the effect of honey on their fecundity and survival, 689.
- Stephen, F.M.** See Linit, M.J., 679.
- Stewart, J.G. and Philogène, B.J.R.** Reproductive potential of laboratory-reared *Manduca sexta* (Lepidoptera: Sphingidae) as affected by sex ratio, 295.  
Fenitrothion: carry-over effects on the  $F_1$  generation of *Manduca sexta* (Lepidoptera: Sphingidae), 1543.
- Stinner, R.E.** See Régnière, J., 287; McNeil, J.N., 905.
- Stiven, A.E.** See Livdahl, T.P., 1365.
- Stock, A.J. and Borden, J.H.** Secondary attraction in the western balsam bark beetle, *Dryocoetes confusus* (Coleoptera: Scolytidae), 539.
- Stock, M.W.** See Willhite, E.A., 41.
- Struble, D.L.** Pheromone traps for monitoring moth (Lepidoptera) abundances: Evaluation of cone-orifice and omni-directional designs, 59.  
See also Ayre, G.L., 1573.
- Sullivan, D.J., S.J.** See Levine, L., 1653.
- Surgeoner, G.A.** See Westwood, A.R., 195; Helson, B.V., 623; Madder, D.J., 877; MacDonald, R.S., 1555.
- Svihra, P. and Volney, W.J.A.** Effect of English, Siberian, and Chinese elms on the attack behavior and brood survival of *Scolytus multistriatus* (Coleoptera: Scolytidae), 513.
- Szlabey, D.L.** See Wong, H.R., 333.
- Tamaki, G.** See Moffitt, H.R., 1659.
- Tanno, K.** See Toda, M.J., 1129.
- Tarrant, C., Moobola, S., Scoles, G., and Cupp, E.W.** Mating and oviposition of laboratory-reared *Simulium vittatum* (Diptera: Simuliidae), 319.
- Teillon, H.B.** See Parker, B.L., 315.
- Teskey, H.J.** A review of the *Arylotus insuetus* group from western North America including description of a new species and immature stages (Diptera: Tabanidae), 693.  
See also Chillcott, J.G., 1291.



- Thériault, L.M. See Sharma, M.L., 215.
- Thomas, A.W. Periodicity in the responsiveness of male spruce budworm (Lepidoptera: Tortricidae) to synthetic sex attractant, 713.
- Thomson, A.J., Harris, J.W.E., Silversides, R.H., and Shepherd, R.F. Effects of elevation on the rate of development of western spruce budworm (Lepidoptera: Tortricidae) in British Columbia, 1181.
- Timmins, P.R. See Foott, W.H., 1235.
- Toda, M.J. and Tanno, K. The convergence of habitat structure in tundra collembolan communities (Insecta: Order Collembola), 1129.
- Torgersen, T.R. See Campbell, R.W., 1059; Mason, R.R., 1119.
- Toscano, N.C. See Trumble, J.T., 1415.
- Tracewski, K.T. Description of the immature stages of *Leucopis* sp. nr. *albipuncta* (Diptera: Chamaemyiidae) and their role as predators of the apple aphid, *Aphis pomi* (Homoptera: Aphididae), 735.
- Trimble, R.M. Diapause termination and the thermal requirements for postdiapause development in six Ontario populations of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), 387.  
Reliability of degree-day indices for predicting spring emergence of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), in Ontario, 393.
- Trimble, R.M., and Lund, C.T. Intra- and interpopulation variation in the thermal characteristics of preadult development of two latitudinally diverse populations of *Toxorhynchites rutilus septentrionalis* (Diptera: Culicidae), 659.
- Trueman, D.W. and McIver, S.B. Seasonal incidence of single and multiple parity in *Mansonia perturbans* (Diptera: Culicidae), 435.
- Trumble, J.T. and Toscano, N.C. Impact of methamidophos and methomyl on populations of *Liriomyza* species (Diptera: Agromyzidae) and associated parasites in celery, 1415.
- Turgeon, J.J. and McNeil, J.N. Modifications in the calling behaviour of *Pseudaletia unipuncta* (Lepidoptera: Noctuidae), induced by temperature conditions during pupal and adult development, 1015.
- Turnock, W.J. See Bucher, G.E., 341; Ayre, G.L., 1573.
- Valéro, J.R. See Smirnoff, W.A., 443.
- Vickery, V.R. Notes on orthopteroid insects from Yukon and northern British Columbia, 567.
- Vockeroth, J.R. Nomenclatural notes on Nearctic Syrphinae, with descriptions of new species of *Syrphus* and keys to Nearctic species of *Didea*, *Epistrophe* s. str., and *Syrphus* (Diptera: Syrphidae), 175.
- Volney, W.J.A. See Svihra, P., 513.
- Volney, W.J.A., Liebhold, A.M., and Waters, W.E. Effects of temperature, sex, and genetic background on coloration of *Choristoneura* spp. (Lepidoptera: Tortricidae) populations in south-central Oregon, 1583.
- Volney, W.J.A., Waters, W.E., Akers, R.P., and Liebhold, A.M. Variation in spring emergence patterns among western *Choristoneura* spp. (Lepidoptera: Tortricidae) populations in southern Oregon, 199.
- Waddington, J. See Curry, P.S., 75.
- Waldvogel, M.G. See Barbosa, P., 855.
- Walley, G.S. See Barron, J.R., 227.
- Waters, W.E. See Volney, W.J.A., 199, 1583.
- Weaver, C.A.A. See Editt, D.C., 715.
- Wellington, W.G. See Fitzpatrick, S.M., 559.
- Welty, C. See Housewheat, M.W., 1245.
- Westwood, A.R., Surgeoner, G.A., and Helson, B.V. Survival of spring *Aedes* spp. mosquito (Diptera: Culicidae) larvae in ice-covered pools, 195.
- Wharton, R.A. New species of *Illidops* and *Bracon* (Hymenoptera: Braconidae) of potential use in biological control, 667.
- Wiens, A.P. See Resh, V.H., 1563.
- Willhite, E.A. and Stock, M.W. Genetic variation among western spruce budworm (*Choristoneura occidentalis*) (Lepidoptera: Tortricidae) outbreaks in Idaho and Montana, 41.
- Witter, J.A. See Ramaswamy, S.B., 1437.
- Wolfe, G.W. Nomenclatural changes in Hydrogorini (Coleoptera: Dytiscidae), 1547.
- Wong, H.R., Drouin, J.A., Szlabey, D.L., and Dang, P.T. Identification of three species of *Proteoteras* (Lepidoptera: Tortricidae) attacking shoots of Manitoba maple in the Canadian Prairies, 333.
- Wood, G.W., Crozier, L.M., and Neilson, W.T.A. Monitoring the blueberry maggot, *Rhagoletis mendax* (Diptera: Tephritidae), with Pherocon® AM traps, 219.
- Wooldridge, A.W. See Foster, R.N., 1163.
- Wright, B. and Neil, K.A. *Noctua pronuba*, a European cutworm, established in Nova Scotia (Lepidoptera: Noctuidae), 1047.
- Wylie, H.G. Oviposition and survival of the European parasite *Microctonus bicolor* (Hymenoptera: Braconidae) in crucifer-infesting flea beetles (Coleoptera: Chrysomelidae) in Manitoba, 55.  
Delayed development of *Microctonus vittatae* (Hymenoptera: Braconidae) in superparasitized adults of *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae), 441.
- Yaninek, J.S. See Gutierrez, A.P., 1359.
- Yoshimoto, C.M. Review of North American *Phygadeuon* Schrank (Hymenoptera: Eulophidae), 971.
- Yule, W.N. See Dominique, C.R., 569, 1043, 1051.

## SUPPLEMENTS AND MEMOIRS

- No. 1 of Vol. LXXXVII (mailed 30 March 1955): The comparative internal larval anatomy of sawflies (Hymenoptera: Symphyta) — Doreen E. Maxwell
- No. 1 of Vol. LXXXVIII (mailed 10 December 1956): Revision of the Nearctic species of *Agriotes* (Coleoptera: Elateridae) — Edward C. Becker
- No. 2 of Vol. LXXXVIII (mailed 16 January 1957): Leafhoppers (Homoptera: Cicadellidae) of Canada and Alaska — Bryan P. Beirne
- No. 3 of Vol. LXXXVIII (mailed 2 January 1957): The New World species of *Chrysomela* L. (Coleoptera: Chrysomelidae) — W. J. Brown

NOTE: After this issue the "Supplements" became, in fact, a self-contained series with a continuous numbering system independent of *The Canadian Entomologist*. Nevertheless, they were still issued (with later exceptions) as "Accompanying" volumes of *The Canadian Entomologist*.

Because four Supplements had already been published, the next one was called No. 5 — there is no Supplement No. 4.

- No. 4 — there is no Supplement 4.
- No. 5 (mailed 2 December 1957): The use of larval anatomy in the study of bark beetles (Coleoptera: Scolytidae) — J. B. Thomas
- No. 6 (mailed 8 April 1958): Taxonomy, life history, and habits of the elliptoid-eyed species of *Schinia* (Lepidoptera: Noctuidae), with notes on the Heliethiinae — David F. Harwick
- No. 7 (mailed 28 April 1958): The Archipinae of North America (Lepidoptera: Tortricidae) — T. N. Freeman
- No. 8 (mailed 12 September 1958): Larvae of the Nearctic Laurentiinae (Lepidoptera: Geometridae) — W. C. McGuffin
- No. 9 (mailed 14 November 1958): Acridoidea of southern Alberta, Saskatchewan, and Manitoba (Orthoptera) — Arthur R. Brooks
- No. 10 (mailed 26 March 1959): Larvae of the North American Olethreutidae (Lepidoptera) — Margaret Rae MacKay
- No. 11 (mailed 26 March 1959): Male genitalia as taxonomic characters in the Miridae (Hemiptera) — Leonard A. Kelton
- No. 12 (mailed 15 June 1959): Phytoseiid mites (Acarina: Phytoseiidae). I. Bionomics of seven species in southeastern England. II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species — D. A. Chant
- No. 13 (mailed 14 November 1960): A synopsis of the genus *Rhopalosiphum* in Canada (Homoptera: Aphididae) — W. R. Richards
- No. 14 (mailed 16 March 1961): A revision of the Nearctic species of Fanniinae (Diptera: Muscidae) — J. G. Chillcott
- No. 15 (mailed 1 February 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and synopsis of the Protichneumonini north of Mexico — Gerd H. Heinrich
- No. 16 (mailed 11 January 1961): Needle-mining Lepidoptera of pine in North America — T. N. Freeman
- No. 17 (mailed 25 October 1961): The classification of the Papilionidae (Lepidoptera) — Eugene Munroe
- No. 18 (mailed 4 April 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). II. Synopsis of the Ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon* Gerd H. Heinrich
- No. 19 (mailed 4 April 1961): Mathematical models for use in insect pest control — Kenneth E. F. Watt
- No. 20 (mailed 6 April 1961): Adult Elateridae of southern Alberta, Saskatchewan and Manitoba (Coleoptera) — A. R. Brooks
- No. 21 (mailed 13 September 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). III. Synopsis of the Ichneumonini: Genera *Ichneumon* and *Thyreates* — Gerd H. Heinrich
- No. 22 (mailed 29 May 1961): Taxonomy and distribution of Nearctic *Vespa* — C. D. F. Miller
- No. 23 (mailed 21 December 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). IV. Synopsis of the Ichneumonini: Genera *Chasmodon*, *Neamblymorpha*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Exephanes*, *Ectopimorpha*, *Pseudoamblyteles* — Gerd H. Heinrich

- No. 24 (mailed 27 December 1961): Synopsis of the North American Odontiinae, with descriptions of new genera and species (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 25 (mailed 28 December 1961): A revision of the New World species of *Thalycra* Erichson, with a description of a new genus and notes on generic synonymy (Coleoptera: Nitidulidae) — Henry F. Howden
- No. 26 (mailed 19 February 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limone*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabus*, *Hoplismenus*, *Hemihoplis*, *Trogomorpha* — Gerd H. Heinrich
- No. 27 (mailed 20 September 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VI. Synopsis of the Ichneumonini (genus *Plagiotypeles*), *Acanthojoppini*, *Listrodromini* and *Platylabini* — Gerd H. Heinrich
- No. 28 (mailed 6 November 1962): Larvae of the North American Tortricinae (Lepidoptera: Tortricidae) — Margaret Rae MacKay
- No. 29 (mailed 27 November 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VII. Synopsis of the Trogini addenda and corrigenda — Gerd H. Heinrich
- No. 30 (mailed 1 May 1963): A catalogue of the Nearctic Chalcidoidea (Insecta: Hymenoptera) — Oswald Peck
- NOTE: After Supplement No. 30, the series continued under the title of *Memoirs of the Entomological Society of Canada*.
- No. 31 (mailed 21 May 1963): The dynamics of epidemic spruce budworm populations — R. F. Morris, Editor
- No. 32 (mailed 4 June 1963): Population dynamics of agricultural and forest insect pests — E. J. LeRoux and others
- No. 33 (mailed 19 March 1964): Some neotropical genera resembling *Epicorsia* Hübner (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 34 (mailed 1 April 1964): Keys to the Chalcidoidea of Czechoslovakia (Insecta: Hymenoptera) — Oswald Peck, Zdeněk Bouček and Augustin Hoffer
- No. 35 (mailed 14 May 1964): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VIII. Addenda and corrigenda, host-parasite list and generic host index, index to ichneumonid names — Oswald Peck
- No. 36 (mailed 21 October 1964): The morphology, histology, and fine structure of the gut of the green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae) — A. R. Forbes
- No. 37 (mailed 23 October 1964): Insect lipids: A review — Paul G. Fast
- No. 38 (mailed 6 November 1964): Blood circulation in insect wings — John W. Arnold
- No. 39 (mailed 10 December 1964): The Geotrupinae of North and Central America — Henry F. Howden
- No. 40 (mailed 1 April 1965): The corn earworm complex — David F. Hardwick
- No. 41 (mailed 5 April 1965): The Phytoseiidae (Acarina) of Central America — D. A. Chant and E. W. Baker
- No. 42 (mailed 18 June 1965): The Muscidae of northern Canada, Alaska, and Greenland (Diptera) — Hugh C. Hockett
- No. 43 (mailed 23 June 1965): Recherches sur la biologie et la dynamique des populations naturelles d'*Archips argyropilus* (Wlk.) (Lépidoptères: Tortricidae) dans le sud-ouest du Québec — Rudolphe-O. Paradis et E. J. LeRoux
- No. 44 (mailed 26 October 1965): The Callaphidini of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 45 (mailed 7 December 1965): The functional response of predators to prey density and its role in mimicry and population regulation — C. S. Holling
- No. 46 (mailed 9 December 1965): The population dynamics of the winter moth in Nova Scotia, 1954-1962 — D. G. Embree
- No. 47 (mailed 29 December 1965): Taxonomic concepts in the Ascidae, with a modified setal nomenclature for the idiosoma of the Gamasina (Acarina: Mesostigmata) — Evert E. Lindquist and G. Owen Evans
- No. 48 (mailed 1 April 1966): The functional response of invertebrate predators to prey density — C. S. Holling

- No. 49 (mailed 16 May 1966): Revision of North American Species of *Udea* Guenée (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 50 (mailed 15 September 1967): Guide to the Geometridae of Canada (Lepidoptera). I. Subfamily Sterrhinae — W. C. McGuffin
- No. 51 (mailed 15 September 1967): Aquatic and semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera) — Arthur R. Brooks and Leonard A. Kelton
- No. 52 (mailed 9 January 1968): A history of grasshopper abundance surveys and forecasts of outbreaks in Saskatchewan — Paul W. Riegert
- No. 53 (mailed 12 February 1968): Generic classification, evolution, and biogeography of the Sminthuridae of the World (Collembola) — W. R. Richards
- No. 54 (mailed 19 April 1968): A review of the Trichiinae of North and Central America (Coleoptera: Scarabaeidae) — Henry F. Howden
- No. 55 (mailed 3 July 1968): The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America (Araneida: Thomisidae) — C. D. Dondale and J. H. Redner
- No. 56 (mailed 13 September 1968): The tachinids of Trinidad. VIII. Phorocerines — W. R. Thompson
- No. 57 (mailed 5 December 1968): A synopsis of the World fauna of *Myzocallis* (Homoptera: Aphididae) — W. R. Richards
- No. 58 (mailed 6 November 1968): The North American Aegeriidae (Lepidoptera): A revision based on late-instar larvae — Margaret Rae MacKay
- No. 59 (mailed 26 February 1969): The life histories, distribution, and immature forms of the North American sawflies of the genus *Cephalcia* (Hymenoptera: Pamphiliidae) — D. C. Eidt
- No. 60 (mailed 19 February 1969): Review of the Holarctic tarsonemid mites (Acarina: Prostigmata) parasitizing eggs of ipine bark beetles — Evert E. Lindquist
- No. 61 (mailed 17 April 1969): Contribution towards a monograph of the fleas of New Guinea — George P. Holland
- No. 62 (mailed 15 July 1969): A revision of the genera of the Syrphini (Diptera: Syrphidae) — J. R. Vockeroth
- No. 63 (mailed 21 June 1969): Larvae and pupae of some eastern North American Tabanidae (Diptera) — H. J. Teskey
- No. 64 (mailed 11 November 1969): The Agromyzidae of Canada and Alaska — Kenneth A. Spencer
- No. 65 (mailed 25 June 1970): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae): Bibliography — H. E. Milliron
- No. 66 (mailed 6 April 1970): Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera) — F. Schmid
- No. 67 (mailed 24 March 1970): The genus *Euxoa* (Lepidoptera: Noctuidae) in North America. I. Subgenera *Orosagrotis*, *Longivesica*, *Chorizagrotis*, *Pleonectopoda*, and *Crassivesca* — David F. Hardwick
- No. 68 (mailed 26 March 1970): The Nearctic species of *Paigalia* and *Sympiesis* (Hymenoptera: Eulophidae) — Charles Douglas Miller
- No. 69 (mailed 31 March 1970): The *Prosimulium* of Canada and Alaska (Diptera: Simuliidae) — B. V. Peterson
- No. 70 (mailed 25 June 1970): Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity — R. F. Morris and W. C. Fulton
- No. 71 (mailed 16 October 1970): Taxonomy and distribution of the European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae) — Akira Mutuura and Eugene Munroe
- No. 72 (mailed 27 July 1970): A catalogue of types of Coleoptera in the Canadian National Collection of Insects — Raymond de Ruelle
- No. 73 (mailed 25 November 1970): A generic revision of the North American Heliethidinae (Lepidoptera: Noctuidae) — D. F. Hardwick
- No. 74 (mailed 25 November 1970): Revision of the subfamily Midilinae (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 75 (mailed 19 April 1971): A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea) — J. R. Barron
- No. 76 (mailed 31 December 1970): Morphology and evolution of the insect thorax — Ryuichi Matsuda
- No. 77 (mailed 23 March 1971): The biology and dynamics of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) on apple in Quebec — R. P. Pottinger and E. J. LeRoux

- No. 78 (mailed 25 May 1971): Pest insects of annual crop plants in Canada. I. Lepidoptera. II. Diptera. III. Coleoptera — Bryan P. Beirne
- No. 79 (mailed 20 August 1971): Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana
- No. 80 (mailed 22 September 1971): A synopsis of the World fauna of the Saltusaphidinae, or sedge aphids (Homoptera: Aphididae) — W. R. Richards
- No. 81 (mailed 30 November 1971): A revision of the Alleculidae (Coleoptera) of the West Indies — J. M. Campbell
- No. 82 (mailed 3 December 1971): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). I. The genera *Bombus* and *Megabombus* subgenus *Bombus* — H. E. Milliron
- No. 83 (mailed 3 December 1971): Review of *Lygocoris* species found in Canada and Alaska (Heteroptera: Miridae) — Leonard A. Kelton
- No. 84 (mailed 29 February 1972): A revision of the Nearctic Amaurobiidae (Arachnida: Araneida) — Robin Leech
- No. 85 (mailed 7 April 1972): Pest insects of annual crop plants in Canada. IV. Hemiptera-Homoptera. V. Orthoptera. VI. Other groups — Bryan P. Beirne
- No. 86 (mailed 21 September 1972): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 1 — W. C. McGuffin
- No. 87 (mailed 21 September 1972): The Chaitophorinae of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 88 (mailed 21 December 1972): Larval sketches of some Microlepidoptera, chiefly North American — Margaret Rae MacKay
- No. 89 (mailed 15 February 1972): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). II. The genus *Megabombus* subgenus *Megabombus* — H. E. Milliron
- No. 90 (mailed 7 March 1973): A revision of the genus *Tachinus* (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell
- No. 91 (mailed 19 December 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). III. The genus *Pyrobombus* subgenus *Cullumano-bombus* — H. E. Milliron
- No. 92 (mailed 23 April 1974): The systematics, phylogeny, and zoogeography of *Symmerus* Walker and *Australosymmerus* Freeman (Diptera: Mycetophilidae: Ditomyiinae) — Donald Douglas Munroe
- No. 93 (mailed 30 May 1974): Revision of the genus *Cymbiodyta* Bed. (Coleoptera: Hydrophilidae) — Aleš Smetana
- No. 94 (mailed 13 June 1975): The cephalic structures and spiracles of final-instar larvae of the subfamily Campopleginae, tribe Campoplegini (Hymenoptera: Ichneumonidae) — Thelma Finlayson
- No. 95 (mailed 18 July 1975): The lygus bugs (genus *Lygus* Hahn) of North America (Heteroptera: Miridae) — Leonard A. Kelton
- No. 96 (mailed 4 December 1975): Revision of the genera *Paraphlepsius* Baker and *Pendarus* Ball (Rhynchota: Homoptera: Cicadellidae) — K. G. A. Hamilton
- No. 97 (mailed 14 June 1976): Revisionary notes and keys to World genera of Scelionidae (Hymenoptera: Proctotrupoidea) — Lubomir Masner
- No. 98 (mailed 12 October 1976): A study of the systematics of the water mite family Pionidae (Prostigmata: Parasitengona) — Ian M. Smith
- No. 99 (mailed 6 October 1976): A revision of the genus *Sepedophilus* Gistel (Coleoptera: Staphylinidae) of America north of Mexico — J. M. Campbell
- No. 100 (mailed 6 December 1976): Diptera larvae associated with trees in North America — H. J. Teskey
- No. 101 (mailed 22 July 1977): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 2 — W. C. McGuffin
- No. 102 (mailed 29 September 1977): A revision of the Nearctic species of *Orthocladus* (*Orthocladus*) van der Wulp (Diptera: Chironomidae) — Annette R. Sponis
- No. 103 (mailed 3 November 1977): A revised classification of the Piophilidae, including 'Neottiophilidae' and 'Thyreophoridae' (Diptera: Schizophora) — J. F. McAlpine
- No. 104 (mailed 19 April 1978): Feeding and mating in the insectivorous Ceratopogoninae (Diptera) — J. A. Downes
- No. 105 (mailed 3 April 1978): Revision of the subfamily Sphaeridiinae of America north of Mexico (Coleoptera: Hydrophilidae) — Aleš Smetana

- No. 106 (mailed 19 April 1978): A revision of the North American Omaliinae (Coleoptera: Staphylinidae). 1. The genera *Haida* Keen, *Pseudohaida* Hatch, and *Eudectoides* new genus. 2. the tribe Coryphiini — J. M. Campbell
- No. 107 (mailed 31 May 1979): The Nepticulidae (Lepidoptera) of Canada — Christopher Wilkinson and J. M. Scoble. 129 pp.
- No. 108 (mailed 12 April 1979): Canada and its insect fauna — H. V. Danks, Editor. 573 pp.
- No. 109 (mailed 25 September 1979): A revision of the genus *Tachyporus* Gravenhorst (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell. 95 pp.
- No. 110 (issued 20 February 1980): Spruce budworm (Lepidoptera: Tortricidae) moth flight and dispersal: New understanding from canopy observations, radar, and aircraft — D. O. Greenbank, G. W. Schaefer, and R. C. Rainey, F.R.S. 49 pp.
- No. 111 (issued 16 July 1980): Revision of the genus *Hydrochara* Berth. (Coleoptera: Hydrophilidae) — Aleš Smetana. 100 pp.
- No. 112 (issued 16 July 1980): A revision of the systematics of *Acalymma sensu stricto* Barber (Coleoptera: Chrysomelidae) from North America including Mexico — D. D. Munroe and Ray F. Smith
- No. 113 (issued 18 June 1980): Key to the genera of Scelionidae of the Holarctic Region, with descriptions of new genera and species (Hymenoptera: Proctotrupoidea) — Lubomir Masner. 54 pp.
- No. 114 (issued 17 September 1980): A revision of the genus *Macrophya* Dahlbom (Hymenoptera: Symphyta, Tenthredinidae) of North America — Gary A. P. Gibson. 167 pp.
- No. 115 (issued 3 June 1981): The polyphyletic nature of *Apanteles* Foerster (Hymenoptera: Braconidae): A phylogeny and reclassification of Microgastrinae — W. R. M. Mason. 147 pp.
- No. 116 (issued 24 August 1981): Revision des Trichoptères Canadiens. I. La famille des Rhyacophilidae (Annulipalpia) — F. Schmid. 83 pp.
- No. 117 (issued 25 September 1981): Guide to the Geometridae of Canada (Lepidoptera). II Subfamily Ennominae. 3 — W. C. McGuffin. 153 pp.
- No. 118 (issued 24 November 1981): Taxonomic monograph of the genus *Pityophthorus* Eichhoff in North and Central America (Coleoptera: Scolytidae) — D. E. Bright. 380 pp.
- No. 119 (issued 30 March 1982): A revision of the genus *Lordithon* Thomson of North and Central America (Coleoptera: Staphylinidae)—J.M. Campbell. 116 pp.
- No. 120 (issued 14 June 1982): Revision of the subfamily Xantholininae of America north of Mexico (Coleoptera: Staphylinidae)—Aleš Smetana. 389 pp.
- No. 121 (issued 22 August 1982): La famille des Xiphocentronides (Trichoptera: Annulipalpia)—F. Schmid. 127 pp.
- No. 122 (issued 22 August 1982): Revision des Trichoptères Canadiens. II. Les Glossosomatidae et Philopotamidae (Annulipalpia)—F. Schmid. 76 pp.
- No. 123 (issued 9 June 1983): Revision of the Macropsini and Neopsini of the New-World (Rhynchota: Homoptera: Cicadellidae), with notes on intersex morphology — K. G. A. Hamilton. 223 pp.
- No. 124 (issued 15 September 1983): Classification of final-instar larvae of the Ichneumonidae (Hymenoptera: Ichneumonidae) — David R. Gillespie and Thelma Finlayson. 81 pp.
- No. 125 (issued 24 November 1983): Révision des Trichoptères canadiens. III. Les Hyalopsychidae, Psychomyiidae, Goeridae, Brachycentridae, Sericostomatidae, Helicopsychidae, Beracidae, Odontoceridae, Calamoceratidae et Molannidae — F. Schmid. 116 pp.
- No. 126 (issued 28 December 1983): A catalogue of the eggs of some Canadian Geometridae (Lepidoptera), with comments — E. H. Salkeld. 262 pp.

## ERRATA

Vol. 114, 1982

- p. 1105, résumé, line 3, for 25 read 42
- p. 1109, résumé, line 14, for a read à
- p. 1110, résumé, line 1, for adultes read adulte  
line 15, for tendance read tendance  
lines 18 & 19, for la read le  
line 19, for fiat read fait
- p. 1143, résumé, line 1, for élevées read élevés  
line 2, for mises read mis  
line 3, for a read à
- p. 1151, résumé, line 5, for envoi read envol
- p. 1185, résumé, line 2, for île read îles



